

**To:** Dave Larsen[dlarsen@reiengineering.com]; Egan, Robert[egan.robert@epa.gov]; KHanson@ldftribe.com[KHanson@ldftribe.com]; Saari, Christopher A - DNR (Christopher.Saari@Wisconsin.gov)[Christopher.Saari@Wisconsin.gov]; Robinson, John H - DNR (John.Robinson@wisconsin.gov)[John.Robinson@wisconsin.gov]; Fassbender, Judy L - DNR (Judy.Fassbender@wisconsin.gov)[Judy.Fassbender@wisconsin.gov]; Kamke, Sherry[Kamke.Sherry@epa.gov]; Ken Lassa[klassa@reiengineering.com]  
**Cc:** Jared Szews[jszews@reiengineering.com]  
**From:** Scott Blado  
**Sent:** Tue 7/19/2016 11:48:51 AM  
**Subject:** RE: Tower Standard  
[removed.txt](#)

Good Morning All –

Update - REI intends to be on site for groundwater sampling of all wells and geolocation of MIP boring on Tuesday, July 26. We should be on site by 8 am. Will make a final confirmation or inform of any changes this Friday, July 22.


**From:** Dave Larsen  
**Sent:** Monday, April 25, 2016 10:59 AM  
**To:** egan.robert@epa.gov; Hanson, Kristen (KHanson@ldftribe.com) <KHanson@ldftribe.com>; Saari, Christopher A - DNR (Christopher.Saari@Wisconsin.gov) <Christopher.Saari@Wisconsin.gov>; Robinson, John H - DNR (John.Robinson@wisconsin.gov) <John.Robinson@wisconsin.gov>; Fassbender, Judy L - DNR (Judy.Fassbender@wisconsin.gov) <Judy.Fassbender@wisconsin.gov>; 'kamke.sherry@epa.gov' <kamke.sherry@epa.gov>; Ken Lassa <klassa@reiengineering.com>  
**Cc:** Jared Szews <jszews@reiengineering.com>; Scott Blado <SBlado@reiengineering.com>  
**Subject:** RE: Tower Standard




Hello – REI anticipates being on site tomorrow morning at about 8:00 am to hopefully complete the second approved round of groundwater sampling. REI will containerize all purge water and remove the drum(s) after the sampling is completed. If there are any questions or concerns, please do not hesitate to contact me.

Thank you,

David N. Larsen P.G

Hydrogeologist / Professional Geologist



Connect with us :   

*Confidentiality Notice: This message is intended for the recipient only. If you have received this e-mail in error please disregard.*

**From:** Dave Larsen

**Sent:** Thursday, April 21, 2016 2:24 PM

**To:** 'egan.robert@epa.gov' <egan.robert@epa.gov>; Hanson, Kristen (KHanson@ldftribe.com) <KHanson@ldftribe.com>; Saari, Christopher A - DNR (Christopher.Saari@Wisconsin.gov) <Christopher.Saari@Wisconsin.gov>; Robinson, John H - DNR

(John.Robinson@wisconsin.gov) <John.Robinson@wisconsin.gov>; Fassbender, Judy L - DNR (Judy.Fassbender@wisconsin.gov) <Judy.Fassbender@wisconsin.gov>;

'kamke.sherry@epa.gov' <kamke.sherry@epa.gov>; Ken Lassa <klassa@reiengineering.com>

**Cc:** Jared Szews <jszews@reiengineering.com>; Scott Blado (sblado@REIengineering.com) <sblado@REIengineering.com>


**Subject:** RE: Tower Standard




Hello again, just confirming that REI has scheduled the second groundwater sampling event for next Tuesday and possibly into Wednesday April 26-27. We should be on-site between 8 and 9 am, but will also follow-up with another e-mail on Monday to confirm.

Thank you,

David N. Larsen P.G

Hydrogeologist / Professional Geologist



Connect with us :   

*Confidentiality Notice: This message is intended for the recipient only. If you have received this e-mail in error please disregard.*

**From:** Dave Larsen

**Sent:** Friday, April 15, 2016 8:45 AM

**To:** [egan.robert@epa.gov](mailto:egan.robert@epa.gov); Hanson, Kristen ([KHanson@ldftribe.com](mailto:KHanson@ldftribe.com))  
<[KHanson@ldftribe.com](mailto:KHanson@ldftribe.com)>; Saari, Christopher A - DNR ([Christopher.Saari@Wisconsin.gov](mailto:Christopher.Saari@Wisconsin.gov))  
<[Christopher.Saari@Wisconsin.gov](mailto:Christopher.Saari@Wisconsin.gov)>; Robinson, John H - DNR  
([John.Robinson@wisconsin.gov](mailto:John.Robinson@wisconsin.gov)) <[John.Robinson@wisconsin.gov](mailto:John.Robinson@wisconsin.gov)>; Fassbender, Judy L - DNR  
([Judy.Fassbender@wisconsin.gov](mailto:Judy.Fassbender@wisconsin.gov)) <[Judy.Fassbender@wisconsin.gov](mailto:Judy.Fassbender@wisconsin.gov)>; [kamke.sherry@epa.gov](mailto:kamke.sherry@epa.gov);  
Ken Lassa <[klassa@reiengineering.com](mailto:klassa@reiengineering.com)>  
**Subject:** Tower Standard

Hello All, just wanting to again attempt to complete the second approved round of groundwater


sampling at Tower Standard. REI would like to attempt to complete the work the week of April 25 to allow the results to be discussed in the May technical meeting. If we can't complete the work the week of the 25<sup>th</sup>, we will be shooting for the first week of April. As we get closer to the 25<sup>th</sup>, I will follow up with all parties in an attempt to confirm a date and time to complete the fieldwork.




If anyone has any issues with this schedule, please notify me at your earliest convenience.

Thank you,

David N. Larsen P.G

Hydrogeologist / Professional Geologist



Connect with us :   

*Confidentiality Notice: This message is intended for the recipient only. If you have received this e-mail in error please disregard.*